CANEC

REG. U.S. PAT. OFF.

CANE STRUCTURAL INSULATION

GIVES LASTING COMFORT



GEORGE HUDSON LTD.

The Reliable Timber Merchants

Flooring and Joinery Specialists

BRIDGE ROAD, GLEBE - - - SYDNEY, N.S.W.

Phones: MW 2771, MW 2781, MW 2791, BW 1451 (3 lines each)

CANEC

REG. U.S. PAT. OFF.

CANE STRUCTURAL INSULATION

"CANEC" has high structural strength and great rigidity.

"CANEC" has exceptionally high acoustic value.

"CANEC" has maximum insulating value against heat and cold.

"CANEC" will soften and absorb nerve-racking sounds and noises.

"CANEC" is highly resistant to moisture.

"CANEC" makes complete and lasting plaster bond.

"CANEC" is Rot Proof.

"CANEC" is Termite (White Ant) proof.

"CANEC" is dual surfaced. One surface is characteristically smooth, the other surface a pleasing Burlap texture.

"CANEC" surface itself, being of a neutral tone, provides a pleasing finish untreated, but it is likewise an excellent background for any colour scheme.

"CANEC" is the answer to the modern demand for an ideal insulating material in the construction of homes, commercial and public buildings and farm structures.

"CANEC" is the all-purpose insulating board.

Details of Tests for acoustic, heat-resisting and structural qualities are available on request.

The uses for each "CANEC" Insulation product—board, lath, tile and roof insulation—are pictured in the sketch appearing on front page.

SAMPLES ON REQUEST

CANEC

(Pronounced " CANE-ECK ")

is the only 100% Sugar-cane Fibre Insulating Product. By a combined chemical and mechanical process the natural strength of the tough Cane fibre is greatly increased.

" **CANEC** " is manufactured by machinery of the latest design and improved processes to give it all the outstanding characteristics claimed.

Average weight, ½ in. full thick. **750** lbs. per **1000** square feet.

SIZES : **6, 7, 8, 9, 10** and **12** feet long, **3** and **4** feet wide.

Packed in bundles of **3** ft. sheets, **10** pieces per bundle ; **4** ft. sheets, **8** pieces per bundle.



PRICES :

5/16 in. " CANEC " Structural Insulation

Up to 1,000 sq. ft.	26/– per 100 sq. ft.
1,000 sq. ft. and over	24/– ,, ,,

1/2 in. " CANEC " Structural Insulation

Up to 1,000 sq. ft.	34/– per 100 sq. ft.
1,000 sq. ft. and over	32/– ,, ,,

1 in. CANEC " Structural Insulation.

Up to 1,000 sq. ft., **50**/- p. **100** sq. ft.
1,000 sq. ft. and over, **47**/**6** ,,

Special Price for quantities over **2,500** sq. ft.

Not Subject to Sales Tax.

" **CANEC** " can be supplied in all thicknesses up to **8** in.



SAMPLES ON REQUEST.

CANEC

REG. U.S. PAT. OFF.

CANE STRUCTURAL INSULATION

HAVE LASTING COMFORT

WITH

CANEC-CLAD BUILDINGS

"CANEC" is the safest, most modern and economical lining wall-board in the world. Send for Sample.

SOLE AGENTS FOR N.S.W.

GEORGE HUDSON LIMITED

TIMBER MERCHANTS,

FLOORING and JOINERY SPECIALISTS,

BRIDGE ROAD, GLEBE, SYDNEY.

TELEPHONES:
MW 2771 (4 Lines)
MW 2781 (3 Lines)
MW 2791 (3 Lines)

City Office and Showrooms:
7 Castlereagh Street, Sydney.
BW 1451, 1452

POSTAL ADDRESS:
Box 2603 EE, G.P.O.,
SYDNEY.
Box 33, Glebe.

TELEGRAMS:
"NOSDUH," SYDNEY.

JOHN SANDS LTD., SYDNEY

Digitized by:

ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasia Chapter

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

https://archive.org/details/buildingtechnologyheritagelibrary

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia